OBANDYELLA, A NEW NAME FOR HIRSUTELLA BANDY, 1972 (FORAMINIFERIDA), NON COOPER AND MUIR-WOOD, 1951 (BRACHIOPODA)

D. Haman, R. W. Huddleston, and J. P. Donahue

Hübner (1822:1–10) erected the genus Agrodiaetus to accommodate all 56 species of the European Lycaenidae (Insecta, Lepidoptera) known to him at that time. The author did not, however, designate a type-species for the genus. Hemming (1934:109) subsequently designated Papilio damon Denis and Schiffermuller, 1775, as the type-species of Agrodiaetus Hübner, 1822 (see also Hemming, 1967:33). Tutt (April 1909a:154) established the genus Hirsutina (type-species Papilio damon Denis and Schiffermuller, 1775) for representatives of West European butterflies. The same author in the following month (Tutt, May 1909b:108) redundantly redescribed Hirsutina with the identical type-species designation. The selection of Papilio damon Denis and Schiffermuller, 1775, by Hemming (1934:109) as the type for Agrodiaetus Hübner (ICZN Art. 69a, v) consequently made Hirsutina Tutt 1909 a junior objective synonym (ICZN Art. 61b).

Kirchner (1933:106) described a new Triassic brachiopod genus from Germany which he named *Hirsutina* (type-species *Spirifer? hirsutus* Alberti, 1864). Despite the fact that *Hirsutina* Tutt, 1909, became a junior objective synonym of *Agrodiaetus* Hübner, 1822 as a result of the action of Hemming (1934) at the time Kirchner (1933) erected *Hirsutina*, the epithet was not available for redesignation (ICZN Art. 17). Consequently, *Hirsutina* Kirchner, 1933 at the time of its establishment became a junior homonym of *Hirsutina* Tutt, 1909. This fact was recognized by Cooper and Muir-Wood (1951:195), and they proposed the replacement name *Hirsutella* for the genus *Hirsutina* Kirchner, 1933 *non* Tutt, 1909.

Bandy (1972:310) in his discussion of the evolutionary lineage of turborotaloids and globorotaloids distinguished three new subgenera of the genus Globorotalia Cushman, 1927. These new planktic subgenera were Fohsella, type-species Globorotalia (F.) praefohsi Blow and Banner, 1966; Menardella, type-species G. (M.) menardii (d'Orbigny, 1826); and Hirsutella, type-species G. (H.) hirsuta (d'Orbigny, 1839). These subgenera have not been widely recognized by foraminiferologists, a fact commented upon by Stainforth et al. (1975:28, 32). Despite this lack of acceptance by the scientific community, the epithet Hirsutella Bandy, 1972, is a junior homonym of Hirsutella Cooper and Muir-Wood, 1951, and consequently requires rejection and replacement under the Law of Homonymy (ICZN Arts. 52, 53, 56).

The name *Obandyella* is hereby proposed to replace the name *Hirsutella* Bandy, 1972, *non Hirsutella* Cooper and Muir-Wood, 1951. The name is constructed in honor of Orville Lee Bandy (1917–1973) for his pioneer and semantic studies in micropaleontology.

Publication permission and assistance by Chevron Oil Field Research Company is gratefully acknowledged.

Literature Cited

- Bandy, O. L. 1972. Origin and development of Globorotalia (Turborotalia) pachyderma (Ehrenberg).—Micropaleontology 18(3):294-318.
- Cooper, G. A., and H. M. Muir-Wood. 1951. Brachiopod homonyms.—J. Wash. Acad. Sci. 41(6):195-196.
- Hemming, F. 1934. The generic names of Holartic butterflies: vol. 1, 1758–1863.—Brit. Mus. (Nat. Hist.), London, viii + 184 pp.
- ——. 1967. The generic names of the butterflies and their type-species (Lepidoptera: Rhopalocera).—Bull. Brit. Mus. (Nat. Hist.), Supp. 9, 509 pp.
- Hübner, J. 1822. Systematisch-alphabetisches Verzeichniss aller bisher bey den Fürbildungen zur Sammlung europäischer Schmetterlinge angegebenen Gattungsbenennungen; mit Vormerkung auch augsburgischer Gattungen.—Augsburg, vi + 81 pp.
- Kirchner, H. 1933. Die Fossilien der Würzburger Trias, Brachiopoda.—Neues Jahrb. Mineral., Geol and Paläont., Biel. 71:88–138.
- Stainforth, R. M. et al. 1975. Cenozoic planktonic foraminiferal zonation and characteristics of index forms.—Univ. Kansas Paleo. Contribs., Art. 62 (Univ. Kansas), 425 pp.
- Tutt, J. W. 1909a. Nat. Hist. British Butterflies (3):154.
- ——. 1909b. The generic subdivision of the tribe Lycaenid Plebeiidi.—Entomol. Rec. 21:107-108.

(DH and RWH) Chevron Oil Field Research Co., La Habra, California 90631; (JPD) Natural History Museum of Los Angeles County, Los Angeles, California 90007.